

LAKE WORTH DRAINAGE DISTRICT
13081 Military Trail, Delray Beach, FL 33484-1105
(561) 498-5363 or 737-3835
Fax: (561) 495-9694

APPLICATION FOR BOAT DOCK/SEAWALL/LIFT PERMIT

Applicant: _____
Property Owner's Name(s)

Address: _____

Phone: _____

Canal No.: _____

Contractor: _____
Name

Address

Phone No.

Printed Name of Applicant

Signature of Applicant _____ Date _____

FOR LWDD USE ONLY:

LWDD Permit No. _____


Date Application Received _____

Date Permit Fee Received _____


Check # _____

Receipt # _____

LAKE WORTH DRAINAGE DISTRICT DOCK PERMIT LOCATION MAP



IDENTIFY NORTH: PLACE CHECK IN APPROPRIATE ARROWHEAD



REQUIRED INFORMATION:

NAME: _____

DATE: _____

SITE ADDRESS: _____


SUBDIVISION: _____

LOT NUMBER: _____ BLOCK NUMBER: _____

LWDD CANAL No: _____

LOCATION PLAN

NOT TO SCALE



TYPICAL SECTION WITH LWDD RIP-RAP RUBBLE

NOT TO SCALE

REQUIRED INFORMATION:

DOCK WIDTH = _____ FEET


DOCK LENGTH = _____ FEET

DOCK PILING PENETRATION DEPTH = _____ FEET


NOTES:

1. ALL DOCK INSTALLATIONS LOCATED WITHIN A LAKE WORTH DRAINAGE DISTRICT (LWDD) CANAL RIGHT-OF-WAY (R/W) SHALL CONFORM TO CURRENT LWDD OPERATING POLICY.
2. INSTALLATION OF RIP-RAP RUBBLE SHALL CONFORM TO CURRENT LWDD OPERATING POLICY.

LAKE WORTH DRAINAGE DISTRICT DOCK PERMIT LOCATION MAP



IDENTIFY NORTH: PLACE CHECK IN APPROPRIATE ARROWHEAD



REQUIRED INFORMATION:

NAME: _____

DATE: _____

SITE ADDRESS: _____


SUBDIVISION: _____

LOT NUMBER: _____ BLOCK NUMBER: _____

LWDD CANAL No: _____

LOCATION PLAN

NOT TO SCALE



TYPICAL SECTION WITH SEAWALL

NOT TO SCALE

REQUIRED INFORMATION:

DOCK WIDTH = _____ FEET

DOCK LENGTH = _____ FEET


DOCK PILING PENETRATION DEPTH = _____ FEET

NOTE:

ALL DOCK INSTALLATIONS LOCATED WITHIN A LAKE WORTH DRAINAGE DISTRICT (LWDD) CANAL RIGHT-OF-WAY (RW) SHALL CONFORM TO CURRENT LWDD OPERATING POLICY.

TYPICAL CORRUGATED SEAWALL DETAIL

NOT TO SCALE



NOTES:

1. ALL SEAWALL DESIGNS ARE SUBJECT TO LAKE WORTH DRAINAGE DISTRICT (LWDD) APPROVAL
2. LWDD MAY REQUIRE DESIGN DRAWINGS SIGNED & SEALED BY A PROFESSIONAL ENGINEER REGISTERED WITH THE STATE OF FLORIDA
3. MINIMUM SHEET PILE PENETRATION SHALL BE 2 FEET BELOW THE DESIGN CANAL BOTTOM (UNLESS OTHERWISE APPROVED BY LWDD).